



## Tork Premium toaletní papír - konvenční role (bílá)



### Vlastnosti produktu

Položka	Systém	Délka role	Průměr role	Počet listů	Délka listu	Počet vrstev	Potisk	Barva
110405	T4 - Systém běžného toal. papíru	19.1 m	12 cm	153	12.5 cm	4	NE	Bílá

### Popis

4-vrstvý čistě bílý toaletní papír prémiové kvality z řady Extra Soft. Extra silný a jemný s ražbou vavřínových lístků.



## Údaje o dodání

### Spotřebitelská jednotka

<b>EAN</b>	7322540365900
<b>Kusy</b>	6
<b>Materiál</b>	Plastic
<b>Výška</b>	194 mm
<b>Šířka</b>	118 mm
<b>Délka</b>	357 mm
<b>Objem</b>	8.2 dm <sup>3</sup>
<b>Čistá hmotnost</b>	668 g
<b>Hrubá hmotnost</b>	709 g

### Přepravní jednotka

<b>EAN</b>	7322540366419
<b>Kusy</b>	42
<b>Spotřebitelské balení</b>	7
<b>Materiál</b>	Plastic
<b>Výška</b>	194 mm
<b>Šířka</b>	356 mm
<b>Délka</b>	823 mm
<b>Objem</b>	56.8 dm <sup>3</sup>
<b>Čistá hmotnost</b>	4.68 kg
<b>Hrubá hmotnost</b>	5.01 kg

### Paleta

<b>EAN</b>	7322540366426
<b>Kusy</b>	1260
<b>Spotřebitelské balení</b>	210
<b>Výška</b>	2090 mm
<b>Šířka</b>	800 mm
<b>Délka</b>	1200 mm
<b>Objem</b>	1.7 m <sup>3</sup>
<b>Čistá hmotnost</b>	140.25 kg
<b>Hrubá hmotnost</b>	150.15 kg



## Ekologické informace

### Content

The fibre composition in the product is virgin

### Material

Virgin fibre Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

### Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Dry strength agent Dye = if coloured Fixing agents Fluorescent whitening agent Glue = if used The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Packaging Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = Ecolabel This product does not have any ecolabel..

Date of issue 2010-03-08

Revision date

### Production

This product is produced in Stembert, BE, certified according to ISO 9001, ISO 14001.

### Destruction

This product is suitable to be taken care of in the normal sewage system of the community.