





125 m









Vlastnosti produktu

Položka	Systém	Délka role	Šířka role	Průměr role	Počet listů	Vnitřní průměr jádra	Počet vrstev	Potisk	Ražba	Barva
130044	M2 - Systém se středovým odvíjením velký	125 m	23.5 cm	19 cm	368	7.1 cm	2	NE	ANO	Bílá

Popis

Dvouvrstvá papírová utěrka z řady 420 ze směsi celulózy (TAD technologie) a recyklovaného materiálu v roli se středovým systémem odvíjením. Jemná, pevná, s velkou absorpcí a vhodná pro místa s velkou spotřebou.



Údaje o dodání

Spotřebitelská jednotka

EAN	7322540183443		
Kusy	1		
Výška	235 mm		
Šířka	190 mm		
Délka	190 mm		
Objem	8.5 dm3		
Čistá hmotnost	1131 g		
Hrubá hmotnost	1169 g		

Paleta

EAN	7322540189346			
Kusy	192			
Spotřebitelské balení	192			
Výška	2030 mm			
Šířka	800 mm			
Délka	1200 mm			
Objem	1.6 m3			
Čistá hmotnost	217.13 kg			
Hrubá hmotnost	226.37 kg			

Přepravní jednotka

EAN	7322540183450		
Kusy	6		
Spotřebitelské balení	6		
Materiál	Shrink		
Výška	235 mm		
Šířka	380 mm		
Délka	570 mm		
Objem	50.9 dm3		
Čistá hmotnost	6.79 kg		
Hrubá hmotnost	7.07 kg		

Ekologické informace

Content

The fibre composition in the product is virgin and recycled

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentDye Fixing agentsFluorescent whitening agentGlueSoftenersThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aid

Product safety

The product fulfils the legislative requirements for food safety. Packaging Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental labelEcolabelThis product does not have an ecolabel

Date of issue 2006-06-12

Revision date 2010-02-25

Production



This product is produced at Kostheim mill, Germany. Kostheim mill is certified according to ISO 14001 and EMAS.

Destruction

For disposal of used product please contact the local authorities. The packaging can be used for material recovery or energy recovery