



Tork Premium toaletní papír - konvenční role (bílá)



20.7 m



3



Vlastnosti produktu

Položka	Systém	Délka role	Průměr role	Počet listů	Vnitřní průměr jádra	Počet vrstev	Potisk	Ražba	Barva
3065	T4 - Systém běžného toal. papíru	20.7 m	12.5 cm	150	4 cm	3	NE	ANO	Bílá

Popis

Třívrstvý toaletní papír prémiové kvality. Jemný a silný papír s velmi dobrou absorpcí.



Tork Premium toaletní papír - konvenční role (bílá)

Údaje o dodání

Spotřebitelská jednotka

EAN	9011111035653
Kusy	10
Materiál	Plastic
Výška	97 mm
Šířka	240 mm
Délka	580 mm
Objem	13.5 dm ³
Čistá hmotnost	1030 g
Hrubá hmotnost	1090 g

Přepravní jednotka

EAN	9011111030658
Kusy	60
Spotřebitelské balení	6
Materiál	Plastic
Výška	194 mm
Šířka	580 mm
Délka	720 mm
Objem	81.0 dm ³
Čistá hmotnost	6.18 kg
Hrubá hmotnost	6.60 kg

Paleta

EAN	7322540155341
Kusy	1080
Spotřebitelské balení	108
Výška	1896 mm
Šířka	800 mm
Délka	1200 mm
Objem	1.5 m ³
Čistá hmotnost	111.25 kg
Hrubá hmotnost	118.87 kg



Ekologické informace

Content

Recycled fibres, Chemicals

Material

Recycled fibres Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. **Bleaching of fibres** Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Dry strength agent If coloured = Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid Environmental label = Ecolabel This product does not have any ecolabel..

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Date of issue 2010-03-08

Revision date

Production

This product is produced at Ortmann mill, Austria, and certified according to ISO 9001:2000 and EMAS.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.